



## MXconfig Series (non-Java version) Release Notes

<b>Version: v3.1.10</b>	<b>Build: 22092118</b>
<b>Release Date: Nov 23, 2022</b>	

### Applicable Products

AWK-3252A Series, EDR-810 Series, EDR-G9010 Series, EDR-G902 Series, EDR-G903 Series, EDS-4008 Series, EDS-4009 Series, EDS-4012 Series, EDS-4014 Series, EDS-405A Series, EDS-408A Series, EDS-505A Series, EDS-508A Series, EDS-510A Series, EDS-510E Series, EDS-516A Series, EDS-518A Series, EDS-518E Series, EDS-528E Series, EDS-608 Series, EDS-611 Series, EDS-616 Series, EDS-619 Series, EDS-G4008 Series, EDS-G4012 Series, EDS-G4014 Series, EDS-G508E Series, EDS-G509 Series, EDS-G512E Series, EDS-G516E Series, EDS-P506E Series, EDS-P510 Series, EDS-P510A Series, ICS-G7526A Series, ICS-G7528A Series, ICS-G7748A Series, ICS-G7750A Series, ICS-G7752A Series, ICS-G7826A Series, ICS-G7828A Series, ICS-G7848A Series, ICS-G7850A Series, ICS-G7852A Series, IKS-6726A Series, IKS-6728A Series, IKS-G6524A Series, IKS-G6824A Series, MDS-G4012 Series, MDS-G4012-L3 Series, MDS-G4020 Series, MDS-G4020-L3 Series, MDS-G4028 Series, MDS-G4028-L3 Series, PT-508 Series, PT-510 Series, PT-7528 Series, PT-7710 Series, PT-7728 Series, PT-7828 Series, PT-G7728 Series, PT-G7828 Series, SDS-3008 Series, SDS-3016 Series, TN-4500A Series, TN-4900 Series, TN-G4500 Series, TN-G6500 Series

### Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### New Features

- Added support for SNMPv3 with AES-128 encryption.

### Enhancements

- Improved the search results display of the "IP Search" and "IP List Search" functions.
- MXconfig can now automatically initialize SNMP agents for switches that use the eCoS system.

### Bugs Fixed

- MXconfig may crash when using the "Broadcast Search" function.

### Changes

N/A

### Notes

N/A



<b>Version: v3.1.8</b>	<b>Build: 22033021</b>
<b>Release Date: May 09, 2022</b>	

### **Applicable Products**

AWK-3252A, EDR-810, EDR-G902, EDR-G903, EDR-G9010, EDR-G9010-HV, EDS-405A/408A, EDS-405A/408AEIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, EDS-4008 Series, EDS-4009 Series, EDS-4012 Series, EDS-4014 Series, EDS-G4008 Series, EDS-G4012 Series, EDS-G4014 Series, ICS-G7526/G7528, ICSG7826/G7828, ICSG7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICSG7826A/G7828A, ICSG7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKSG6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4012, MDS-G4020, MDS-G4028, MDS-G4012-L3, MDS-G4020-L3, MDS-G4028-L3, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT7828/7828-PTP, PT-508/510, SDS-3008, SDS-3016, TN-4516A/4524A/4528A, TN-4900 Series, TN-5916, TN-G6512-8PoE/G4516- 8PoE

### **Supported Operating Systems**

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### **New Features**

- Supports AWK-3252A Series with Login Token function.
- Supports EDS-4000 and EDS-G4000 Series.

### **Enhancements**

N/A

### **Bugs Fixed**

- Users cannot select the country when the AWK-3252A Series is executing the initiation process.
- When executing the Broadcast Search function, MXconfig will crash sometimes.

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v3.1.6</b>	<b>Build: 22010518</b>
<b>Release Date: Jan 06, 2022</b>	

### Applicable Products

EDR-810, EDR-G902, EDR-G903, EDR-G9010, EDR-G9010-HV, EDS-405A/408A, EDS-405A/408A-EIP, EDS405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICSG7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICSG7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4012, MDS-G4020, MDS-G4028, MDS-G4012-L3, MDS-G4020-L3, MDS-G4028-L3, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT7828/7828-PTP, PT-508/510, SDS-3008, SDS-3016, TN-4516A/4524A/4528A, TN-4908, TN-5916, TN-G6512-8PoE/G4516- 8PoE

### Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### New Features

- Added the product version and build date to the About section.
- Supports limited functions on the AWK-3252A Series (MXconfig baseline excludes Security Wizard and Login Token).
- Supports LM-7000H-2GPHR module on PT-G7728 platform.
- Supports new devices: SDS-3008 Series, SDS-3016 Series.

### Enhancements

N/A

### Bugs Fixed

- The Time Setting function on the switches did not update.

### Changes

N/A

### Notes

N/A



<b>Version: v3.1.4</b>	<b>Build: 21111519</b>
<b>Release Date: Nov 19, 2021</b>	

### Applicable Products

EDR-810, EDR-G902, EDR-G903, EDR-G9010, EDR-G9010-HV, EDS-405A/408A, EDS-405A/408A-EIP, EDS405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICSG7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICSG7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4012-L3, MDS-G4020-L3, MDS-G4028-L3, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT7828/7828-PTP, PT-508/510, TN-4516A/4524A/4528A, TN-4908, TN-5916, TN-G6512-8PoE/G4516-8PoE, MDS-G4000-10G-cvf

### Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### New Features

- Added support for MXnos v3.0 which includes the Security Wizard function.
- Added support for the SNMP init function. (Can enable SNMP for MXnos and EDR devices. The SNMP Agent is disabled by default.)
- Added support for new devices: EDR-G9010 Series.

### Enhancements

- The efficiency of upgrading the EDS-G4000 firmware has been enhanced.

### Bugs Fixed

- The SNMP Configuration function in the Preference section was working incorrectly. (Buildcode: 21111116)
- The Preference folder path of the MXconfig software on the local machine was incorrect which may cause MXconfig to be unstable. (Buildcode: 21111519)

### Changes

- For v3.1.4 and later, when you install or uninstall the MXconfig software package, MXconfig will remove the following files to ensure the settings are correct: PREFEREENCES\_CSHARP.properties, SNMP\_SETTING\_CSHARP.properties.

### Notes

N/A



<b>Version: v3.1.2</b>	<b>Build: 21062514</b>
<b>Release Date: Jun 30, 2021</b>	

### Applicable Products

EDR-810, EDR-G902, EDR-G903, EDR-G9010, EDS-405A/408A, EDS-405A/408A-EIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICS-G7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICS-G7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4012-L3, MDS-G4020-L3, MDS-G4028-L3 Series, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT-7828/7828-PTP, PT-508/510, TN-4516A/4524A/4528A, TN-4908, TN-5916, TN-G6512-8PoE/G4516-8PoE, MDS-G4000-10G-cvf

### Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### New Features

- Supports CLI for MXnos switches.
- Supports the device locator function for MXnos switches.
- The password for MXnos switches can now be changed.

### Enhancements

N/A

### Bugs Fixed

N/A

### Changes

- Support new devices: EDR-G9010 Series, TN-4908 Series, MDS-G4012-L3 Series, MDS-G4020-L3 Series, MDS-G4028-L3 Series

### Notes

N/A



<b>Version: v3.1</b>	<b>Build: 21042814</b>
<b>Release Date: Apr 30, 2021</b>	

### **Applicable Products**

EDR-810, EDR-G902, EDR-G903, EDS-405A/408A, EDS-405A/408A-EIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICS-G7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICS-G7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4000, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT-7828/7828-PTP, PT-508/510, TN-4516A/4524A/4528A, TN-5916, TN-G6512-8PoE/G4516-8PoE

### **Supported Operating Systems**

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### **New Features**

A Java license is no longer required.

### **Enhancements**

N/A

### **Bugs Fixed**

N/A

### **Changes**

The following devices are now supported: TN-4516A/4524A/4528A, TN-G6512-8PoE/G4516-8PoE, MDS-G4000-10G-cvf.

### **Notes**

N/A



<b>Version: v3.0</b>	<b>Build: 20122819</b>
<b>Release Date: Jan 01, 2021</b>	

### Applicable Products

EDR-810, EDR-G902, EDR-G903, EDS-405A/408A, EDS-405A/408A-EIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICS-G7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICS-G7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT-7828/7828-PTP, PT-508/510, TN-5916, MDS-G4000

### Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### New Features

- A Java license is no longer required.

### Enhancements

N/A

### Bugs Fixed

N/A

### Changes

Only the following features are included:

- Device Search: Broadcast Search, Specific IP Search, IP List Search
- System File Update: Upgrade Firmware, Export Configuration, Import Configuration, Copy Configuration
- Network Settings, Password Settings, Device Locator, Device Console, Telnet Console, Connectivity Test, Unlock Device, Security Wizard, Execute CLI, Reboot, Factory Default
- Multiple Setting: Accessible IP, Account Lockout, Auth Server Settings, Auto Logout, Broadcast Storm Protection, Configuration Encryption, Day Light Saving, GVRP, IGMP Snooping, Industrial Protocol, LLDP Setting, Line Swap Fast Recovery, Management Interface, NTP, Password, Password Policy, SNMP Configuration, Syslog, System Notification, Telnet Console Setting, Time, Trap Configuration
- Preference: SNMP Configuration, Management Interface
- Link Sequence Detection

### Notes

N/A