




項目	變更內容	變更原因	日期

<

項目	變更內容	變更原因	日期




Technical drawing of a device with dimensions and features. The drawing shows a top view of a rectangular device with a rounded left end. Key features include a transparent window (透明視窗) on the left, a series of four circular buttons (凸孔按鈕) in the center, and a series of small circular holes (LED 透明視窗) on the right. Dimensions are provided in millimeters (mm) and inches (in). The overall width is 286.65 mm (11.28 in). The overall height is 38.8 mm (1.53 in). The drawing includes a legend for symbols: a circle with a cross for punch holes (沖孔), a circle with a dot for LED transparent window (LED 透明視窗), and a solid circle for raised button (凸孔按鈕).

Legend:

- 沖孔
- LED 透明視窗
- 凸孔按鈕

DA-662A-16-DP

White  
機殼為黑色，印刷為白色  
印刷需清晰不可模糊



A


B


C

D

E



F

Rev.Mark	Description	Date
	--	xx/xx/xx



- Note
- 1.Finish:Liquid Painting/Texture.  
Meet Storage Test Without any damage.  
(Temp.90°C Humidity95%R.H 24Hrs)
  - 2.Color:Silver.Silver-Texture( $dE \leq 1.2$ )
  - 3.Packaged:No particular requirement./PE Bag/Brown Paper.
  - 4.Comply with ROHS.


Specified Tolerance			
Length	Class 1	Class 2	Class 3
0.5~<6	±0.05	±0.1	±0.15
6~<30	±0.1	±0.2	±0.25
30~<120	±0.2	±0.3	±0.35
120~<180	±0.3	±0.4	±0.45
180~<315	±0.4	±0.5	±0.55
315~<500	±0.5	±0.6	±0.65
500~	±0.6	±0.7	±0.75

 Tel:+886-2-89191230 Fax:+886-2-89191231 www.moxa.com	Designer	Projection	Unit	mm	Tolerance	Class 2	Product Model	DA-662A-i		Frame	A3
	Albert	 3rd Angle	Scale	1 : 1	Material	assembly	Drawn Name	DA-662A-8 System dimension			
			Date	2016-03-09	File Name	3091066200071	Product No.	3091066200071	Ver.	1.0	




DA-662A-8

White  
機殼為黑色，印刷為白色  
印刷需清晰不可模糊






1	2	3	4	5	6	7	8	
					項目	變更內容	變更原因	日期




透明片




- Gold(青口金)
- PANTONE 3275
- White
- PANTONE Black C

背膠(附離型紙/易撕)	特性	注意
<input type="checkbox"/> 3M WSP-1 水膠	透明，無棉絮	<input checked="" type="checkbox"/> 正常情況Led燈孔需製作膠版 <input type="checkbox"/> 若燈孔距離過近導致黏貼面不足則無法製作膠版
<input checked="" type="checkbox"/> 3M 467 雙面膠(薄)	透明，無棉絮	因雙面膠特性關係，Led燈孔不需製作膠版，
<input type="checkbox"/> 3M 468 雙面膠(厚)	透明，無棉絮	
<input type="checkbox"/> DT-145 王佳 雙面膠	透霧，有棉絮	無沖孔及燈孔需求時建議使用較能完全平貼
<input type="checkbox"/> BR6600 北極熊雙面膠	透霧，有棉絮	
<input type="checkbox"/> 3M VHB 防水雙面膠	透霧，無棉絮	

	Designer	公差	± 0.2	材質	PC	料號	1603006620080	圖框	A2
	Claire Huang	比例/單位	1:1/mm	厚度(不含膠)	PC / 0.178mm PC / 0.5mm	型號	DA-662A-I-16	圖面版本	V1.0

					6	7	8	
1	2	3	4	5	項目	變更內容	變更原因	日期



-  沖孔  
 LED 透明視窗  
 凸孔按鈕



DA-662A-16-DP

White  
機殼為黑色，印刷為白色  
印刷需清晰不可模糊

